

Amateur Radio in the Wilderness

In the midst of a blizzard in early May 2005, a Pacific Crest Trail thru-hiker named John Donovan disappeared near San Jacinto Peak in California. During his trek, he apparently fell and found himself in Long Canyon¹ with no obvious way to escape. He was alive for some days before expiring. A delayed search for Donovan was soon abandoned. John had no way of communicating his predicament.



Palm Springs Aerial Tramway

A year later, a poorly-equipped Texas couple stumbled across John Donovan's makeshift camp and backpack after days of struggle. Brandon Day and Gina Allen had wandered away from the Mountain Station of the Palm Springs Aerial Tramway and had lost their way with no camping gear or warm clothing. The famished and thirsty Texas couple found matches in Donovan's backpack, enabling Brandon to set a large fire which precipitated their own rescue. John Donovan's body was finally spotted by a helicopter crew eleven days later.²

Imagine taking a trailside lunch break in a remote wilderness far from any internet or cellphone facility and out of satellite range, while chatting or texting with somebody across the country or on another continent. That is only possible using *shortwave* radio, which is now available to ultralight adventurers. *Shortwave* radio is by far the

¹ <https://www.dmagazine.com/publications/d-magazine/2006/december/lost/>

² <http://www.backpacker.com/trips/lost-found>

Amateur Radio in the Wilderness

best option for sending a detailed emergency message from a remote place, even from a deep canyon.³

Modifying the Ten Essentials

The *ten essentials list* has been publicized for years. Here is a modified version:⁴

1. Navigation
2. Sun Protection
3. Insulation
4. Illumination
5. First Aid Supplies
6. Fire
7. Repair Kit and Tools (including knife)
8. Hydration and Nutrition
9. Signaling⁵
10. Emergency Shelter

The modified version combines **hydration** and **nutrition** into #8, and adds **signaling** as Essential #9.

8) Hydration and Nutrition

Emergency food is rarely critical in the short term, so nutrition itself cannot be classed as “essential,” although it is helpful for comfort. Spare water could be a matter of life and death, however. There are many ways of scrimping to minimize a backpack burden, but we should never venture outdoors without an abundance of water and light-weight capacity to carry more, plus the means to treat water of unknown quality.⁶ In frigid conditions, an adequate water supply normally requires fuel and a metal container to melt snow. However, a hydration bladder⁷ can be suspended with a looped cord around a person’s neck and under clothing to stay liquid in extremely cold conditions, and snow packed into such a bladder can be melted in the same manner.

9) Signaling

The *Mountaineers Ten Essentials* list doesn’t include signaling gear and skills, although the *Mountaineering: The Freedom of the Hills* textbook makes a passing reference to “Signaling device: whistle, cell phone, etc.” in a sample equipment list. Start with a *loud pealless whistle*, including the many models marketed by Fox40, like the screaming-loud Sharx:⁸

³ *Shortwave* communication is possible from deep valleys using a phenomenon called *near vertical incidence skywave* (NVIS) propagation. https://en.wikipedia.org/wiki/Near_vertical_incidence_skywave

⁴ adapted from from Ronald C. Eng, editor, *Mountaineering: The Freedom of the Hills*, 8th Edition, Seattle: 2010, The Mountaineers, p. 35

⁵ **Signaling** is sometimes spelled **signalling**.

⁶ <http://www.backpacker.com/survival/which-water-treatment-is-for-you/>

⁷ <https://www.outdoorgearlab.com/topics/camping-and-hiking/best-hydration-bladder>

⁸ <http://www.fox40world.com/>

Amateur Radio in the Wilderness



Fox40 Sharx

A *signal mirror* is only useful when the sun is shining,⁹ but it can send alerts long distances, including to passing aircraft. Practicing with the mirror in situations where no false alarms are triggered is essential. An internationally-recognized emergency signal is three or six flashes. A flashing headlamp can also be used for signaling, using a hand for blocking so that three or six flashes are sent in regular sequences.



Emergency *satellite communicators* such as the SPOT GEN3 personal communicator¹⁰ or the ACR ARTEX ResQLinkPLB™ or ResQLinkPLB+™¹¹ or the Garmin inReach SE+ 2-Way Satellite Communicator¹² or the Garmin inReach Explorer+ Satellite Communicator¹³ or the Garmin inReach Mini Satellite Communicator¹⁴ could be critical for backcountry adventurers with no technical communications skills. All of those devices require substantial usage fees.

Far and away the most effective backcountry communications facilities are available to licensed radio amateurs, also called ham operators.

⁹ <http://www.rei.com/c/signal-mirrors?r=c&ir=category%3Asignal-mirrors&page=1>

¹⁰ <http://findmespot.com/en/>

¹¹ <https://www.acrartex.com/products/outdoor/>

¹² <https://www.rei.com/product/119864/garmin-inreach-se-2-way-satellite-communicator>

¹³ <https://buy.garmin.com/en-US/US/p/561269>

¹⁴ <https://www.rei.com/product/140110/garmin-inreach-mini-2-way-satellite-communicator>

Amateur Radio in the Wilderness

Shortwave Spectrum

Although ham operators often talk through handtalkies using *Very High Frequency (VHF)* spectrum, which ranges between 30 MHz and 300 MHz, as well as *Ultra High Frequency (UHF)* spectrum between 300 MHz and 3 GHz, most of that activity takes place through terrestrial repeaters, which are usually located on high places near urban areas for the purpose of re-transmitting signals for stations within line-of-sight of the repeaters. Much of the backcountry, especially in remote lowland areas, is beyond the range of terrestrial Amateur Radio repeaters.

Shortwave radio is also called *high frequency* or *HF* radio. That's between 3 MHz and 30 MHz in the radio spectrum. A special characteristic of *shortwave* radio on planet Earth is that its waves can propagate beyond the horizon – even across continents and oceans – without the use of intervening infrastructure. Those radio waves accomplish that by being bent by an invisible shell surrounding Earth called the *ionosphere* and refracting back to Earth, spanning *distances* much longer than line-of-sight. The lower segments of the *shortwave* spectrum propagate most effectively at nighttime, whereas the higher parts do best in the daytime.

Shortwave radio is used for long-distance aviation and maritime communications. There are still a few active private and government *shortwave* broadcast stations. Some government *time* stations are also available.¹⁵ Sending broadcast-style information around the world normally is done these days on cable or satellite TV and on the internet. Are you heading into the remote backcountry or across an ocean? Guess what? No internet!

Shortwave radio still hums with activity, but mostly via non-commercial or **Amateur Radio**, also called **ham radio**. Ham operators worldwide inhabit the *shortwave* spectrum in nine frequency bands. Those nine bands are well spread out within the *shortwave* spectrum, giving hams great flexibility to adapt to changing ionospheric conditions. Nobody should attempt a blue-water ocean voyage in a small vessel without an Amateur Radio license and a *shortwave* transceiver, plus the skills to operate it in difficult conditions.

Common modes used on the *shortwave* spectrum are Morse code telegraphy (CW), single sideband voice (SSB) using either lower sideband (LSB) or upper sideband (USB), slow-scan television (SSTV), also called image, plus various text modes. Hams sometimes use *amplitude* modulation voice (AM) or *frequency* modulation voice (FM), but most Amateur Radio voice operation on *shortwave* frequencies uses SSB, since it is efficient and reliable.

¹⁵ *time* frequencies: WWV (male voice), Fort Collins CO AM: 2.5 MHz, 5 MHz, 10 MHz, 15 MHz, 20 MHz, and sometimes 25 MHz; WWVH (female voice), Kauai HI AM: 2.5 MHz, 5 MHz, 10 MHz and 15 MHz; CHU, Ottawa, Canada USB: 3.33 MHz, 7.85 MHz and 14.67 MHz

Amateur Radio in the Wilderness

Shortwave Amateur Radio

Here are some general characteristics of the *shortwave* bands which are available to Amateur Radio operators:

80 m band: 3.5 MHz to 4 MHz: CW, text, LSB & AM voice, SSTV – This large band is especially useful for regional communications across a state or province and beyond. There are daily message-traffic and chatting networks which meet on 80 m, mostly using CW and LSB. At nighttime the 80 m band is full of activity.

60 m band: USB, CW and text in 5 channels from 5.3305 MHz through 5.4035 MHz – This limited band is useful for regional communications, like across a state or province. Beginning in 2017, a tiny 15 kHz segment of 60 m became an international Amateur Radio band, so its popularity will likely increase when the Federal Communications Commission authorizes its use in the USA.

40 m band: 7 MHz to 7.3 MHz: CW, text, LSB & AM voice, SSTV – The 40 m band is almost always open for ionospheric communications, night or day. If you can only afford a transceiver which covers just one band, 40 m would be a good choice.

30 m band: 10.1 MHz to 10.15 MHz CW and text – Amateurs in the USA can use a maximum of 200 W *power* on the small 30 m band, where no voice modes are allowed. Propagation is similar to that on the 40 m band.

20 m band: 14 MHz to 14.35 MHz CW, text, USB & AM voice, SSTV – This band is the most popular Amateur Radio spectrum for long-distance communications. It can be open from before dawn until after dark.

17 m band: 18.068 MHz to 18.168 MHz CW, text, USB & AM voice, SSTV – Since antennas designed for this band can be relatively short, pedestrian-mobile operation¹⁶ is common on 17 m in daylight. Propagation is similar to that on the 20 m band, but usually during the daytime only.

15 m band: 21 MHz to 21.45 MHz CW, text, USB & AM voice, SSTV – This large daytime band can propagate long distances with low transmitting *power* and there is usually little interfering static noise when it is open. Propagation is seldom marginal. Usually the band is either open or closed for a given path.

12 m band: 24.89 MHz to 24.99 MHz CW, text, USB & AM voice, SSTV – The 100 kHz of this relatively-underutilized Amateur Radio band can be effective for long-distance communications at miniscule *power* levels when it is open for *skywave* propagation.

10 m band: 28 MHz to 29.7 MHz CW, text, FM, USB & AM voice, SSTV – This largest of the *shortwave* Amateur Radio bands is used regularly for local communications and for excellent long-distance communications on the infrequent daytime occasions when the

¹⁶ <http://www.hfpack.com/>

Amateur Radio in the Wilderness

ionosphere allows such propagation. There are a few scattered 10 m FM repeaters available in some regions.

Shortwave radio propagation varies according to the solar cycle.¹⁷ We are currently approaching the likely minimal low end of Solar Cycle 24 since 1755 and the beginning of Solar Cycle 25. Shortwave communications will likely improve as Cycle 25 progresses and solar activity, including sunspot numbers, increase, probably in the year 2020. *Space weather* forecasts are available on the internet.

Summits on the Air (SOTA)



Wolfgang Sontag OE2WNL on Asitzkopf in Austria <https://www.qrz.com/lookup>

An increasingly-popular backcountry Amateur Radio activity is called *Summits on the Air*.¹⁸ SOTA provides an opportunity for getting outdoors and visiting high places which we may not have known about except through the SOTA program. Let's face it. Amateur Radio is mostly a sedentary pursuit. SOTA is to ham radio like John Denver and Joan Baez have been to popular music: it's literally a breath of fresh air. The program is operational in many countries. Most SOTA summits are hikes rather than technical mountaineering projects. Other SOTA objectives can be accessed using 4-wheel-drive vehicles. In the USA, many wilderness SOTA summits have no official names except for their elevation in feet and are seldom visited. Talk about solitude!

SOTA *activators* climb qualified summits and set up their ham stations within 25 m elevation of the true summit and contact other ham *chasers* in any other location, including occasionally *activators* on other SOTA summits. A scoring system for SOTA awards points – ranging between 1 point and 10 points – based on the elevation of the summit, not the difficulty of climbing it. Points are awarded both to *activators* on or near a summit and to *chasers*. An *activator* must contact at least four other stations directly without the use of land-based repeaters in order to earn points.¹⁹ To qualify as a

¹⁷ https://en.wikipedia.org/wiki/Solar_cycle

¹⁸ <http://www.sota.org.uk/>

¹⁹ Yes, there are Amateur Radio earth satellites and high-altitude balloons carrying repeater stations which usually receive on one frequency and transmit on another frequency. Those non-terrestrial repeaters may be used for SOTA activities.

Amateur Radio in the Wilderness

SOTA summit, a mountain must have a topographic prominence²⁰ of at least 150 m in most regions and 100 m in relatively flat regions. SOTA often offers a 3-point seasonal bonus to activators: it might be during a monsoon or during the winter or during the hot summer – whenever outdoor operating is especially challenging.

On popular summits, *activators* often try to avoid overuse of the summit area by operating away from the actual summit, but still in that chunk of territory within 25 m elevation from the top. Most SOTA *activators* try to adhere to the seven *Leave No Trace*TM outdoor ethics principles.²¹

Although some use of technology can enhance our safety and our outdoor experiences, our focus should be the outdoors, not gizmos. Exploring the high country within the limits of our personal abilities is one of the rewards of the SOTA program. We can appreciate new vistas and watch wildlife – always from an appropriate distance so we don't encroach on their space. Heading toward obscure SOTA summits will get us to places where other people seldom go.

Parks on the Air (POTA)

Another outdoor Amateur Radio program is called Parks on the Air (POTA), sponsored by World Wide Flora & Fauna.²² Subject to local regulations, a ham can operate from anywhere within those places as an *activator*. Hams and unlicensed *shortwave* listeners can become POTA *hunters* by contacting or logging POTA *activators*.

Becoming a Licensed Ham Operator

In order to transmit on Amateur Radio frequencies, a person needs to obtain a license by passing one or more written examinations.²³ There are no usage fees for Amateur Radio in most countries. There is no citizenship or age requirement to earn an Amateur Radio license in the USA or Canada. In the USA the first license is called Technician Class. Technician hams have limited access to some *shortwave* frequencies, but they also enjoy all Amateur Radio privileges above 50 MHz, where radio signals only rarely propagate far beyond the horizon. Although the examination is not trivial, almost any teenager or adult could pass the Technician exam after a few hours of study.

The mid-level USA amateur license is General Class. A bit more study is needed to pass the General Class exam,²⁴ which allows access to all Amateur Radio bands, including *shortwave*, so it is definitely worthwhile for outdoor enthusiasts to attain General Class status.

²⁰ https://en.wikipedia.org/wiki/Topographic_prominence

²¹ <https://Int.org/learn/7-principles>

²² To get started, go to: <https://wwff-kff.com/>.

²³ For more information on obtaining an Amateur Radio license in the USA, see:

<http://www.arrl.org/licensing-education-training> . For amateur radio licensing in Canada, see:

<http://wp.rac.ca/category/uncategorized/begin/begin-2/> . Passing the Canadian Basic exam with a score of 80 percent or higher gives licensees access to all Amateur Radio frequencies. The Canadian Basic exam is about comparable to the USA General Class license exam.

²⁴ One method for preparing for those two exams is to purchase the latest editions of ARRL's **Tech Q&A** book and the **ARRL's General Q&A** book. While studying, online practice quizzes on <http://www.qrz.com/hamtest/> are helpful.

Amateur Radio in the Wilderness

Passing both the Technician Class and General Class exams is straightforward. There is no need to purchase a textbook or to sign up for an in-person course. Just subscribe to **HamTestOnline**,²⁵ opting for a combination of Technician Class and General Class. Stick with the Study mode option, and the program will guide you through the question pools of both licenses. Passing scores are 74 percent. That's 26 correct answers out of 35 questions for both exams. Once your scoring hits 80 percent or above on each exam, (28 correct of 35) you're ready to take the exams,²⁶ which cost \$15 for both exams if they are taken at the same session.

Top-level Amateur Extra Class licensees can operate on any frequency on all Amateur Radio bands. Although sub-teenagers have been known to become Amateur Extra Class hams, passing the Amateur Extra Class exam is quite difficult, about the same challenge as a first-term college course in electrical engineering. Only on 80 m, 40 m, 20 m and 15 m do Amateur Extra Class licensees have more spectrum than those holding General Class licenses.

In Canada there are three Amateur Radio license classes, Basic, Basic-with-Honours and Advanced. Basic and Basic-with-Honours licensees must use commercial transmitting equipment. Basic amateurs can transmit on all frequencies above 30 MHz, but those who score 80 percent or higher on the Basic exam are designated Basic-with-Honours and can transmit on all Amateur frequencies using a maximum of 100 W of transmitter power. Canadian Advanced amateurs can use home-built transmitters and maximum power on all amateur frequencies. The Basic-with-Honours license is all that is needed to use the shortwave spectrum in Canada. To study for Canadian licenses, go to www.hamstudy.com.

Modest *Shortwave* Transceivers

There are many light-weight radios which are budget-friendly. Many cover only one *shortwave* band and operate in one or more modes. An example is the monoband multi-mode 200 g (7.1 oz) **QRPver 1 v.3** transceiver²⁷.



This one-band radio sell for \$190. The 40 m version would be a good choice, since that band generally is open day or night for *skywave* communications. A simple center-fed wire *half-wavelength* dipole antenna will work fine on one band without using an antenna tuner.

²⁵ <https://www.hamradiolicenseexam.com/>

²⁶ To find the time and place of an Amateur Radio exam session in your area, go to <http://www.arrl.org/find-an-amateur-radio-license-exam-session> and fill out the online query form.

²⁷ <https://qrpver.com/>

Amateur Radio in the Wilderness




A BNC-to-dual-post adapter can be attached to two wires which are each $\frac{1}{4}$ wavelength long. Those would be 32.4 feet (9.88 m) each for the middle of the 40 m band.

Hams who understand Morse code have lots more equipment choices. For example, the **QRP Labs QCX CW Transceiver kit**²⁸ sells for \$86 including the enclosure.



A collective of women in India populates the circuit boards for the **HF Signals BITX40 40 m SSB Transmitter**.²⁹



A semi-kit with simple hook-ups sells for \$59 with shipping via India Post, which takes 3 to 4 weeks. For \$69 it ships via DHL for delivery in about one week. Lots of builders fashion their own enclosures, but a commercial enclosure for the BITX40 is in the works.³⁰

High-End *Shortwave* Amateur Radio Equipment for Backpackers

Until recently, transceivers which cover the entire Amateur Radio *shortwave* spectrum have been too heavy to qualify for ultralight adventuring, or they have been limited to one or two modes on one or just a few *shortwave* bands. That situation has changed, big time.

²⁸ <https://qrp-labs.com/qcx.html>

²⁹ <http://www.hfsignals.com/index.php/bitx40/>

³⁰ <https://ubitx.net/2018/01/30/sunil-vu3sua-kits-and-enclosures/>

Amateur Radio in the Wilderness



(image courtesy of Elecraft® Co.)

Elecraft KX2 Featherweight Transceiver with XCPD2 Morse paddle and MH3 microphone

A well-respected California Amateur Radio manufacturer called Elecraft®³¹ now produces a pocket-sized transceiver called the **KX2** in a featherweight package. The KX2 isn't cheap, but since it could be a lifesaver, many outdoor enthusiasts consider the investment worthwhile. The KX2 operates with CW, SSB, AM, FM and common text modes³² on all nine *shortwave* Amateur Radio bands from 80 m through 10 m;³³ it allows high-quality reception on all *shortwave* frequencies. The FM voice mode was added recently to the KX2 with a new free firmware download, giving operators access to FM repeaters on the 10 m band. The KX2 is so miniaturized that it is available only factory-assembled. The *mass* of a fully-equipped KX2, including rechargeable internal battery, antenna tuner, external microphone, XCPD2 attachable Morse paddle, plus a real-time clock & external devices controller is 626 g (1 lb 6.1 oz). An external battery charger is normally left at home, so its 322 g (11.4 oz) *mass* is not included in a typical backcountry load. Long-distance wilderness travelers could use a DC 9 V ~ 15 V external rechargeable battery pack and a solar charger, plus a voltage regulator.

The KX2 and SOTA were made for each other. The radio produces up to 12 W of transmitting *power* on the 80 m through the 20 m bands and 10 W output on the 17 m through the 10 m bands, which is ample for reliable long-distance or regional communications if the optimal band for the time of day is chosen. The KX2 includes a built-in speaker on the tilted bottom panel. There are some advantages to earbuds or headphones, however. That way, reception is clear and neighboring outdoor enthusiasts and wildlife won't be disturbed. In addition, headphones consume less battery *current* than the internal speaker does.

The high-quality and capable KX2 *shortwave* transceiver is small enough to fit inside a backpacker's trouser side pocket. To protect the radio, most backpacking KX2

³¹ <http://www.elecraft.com/>

³² Special digital modes and SSTV normally require a governing computer or another external controlling device.

³³ As noted above, voice modes are not allowed on the 30 m Amateur Radio band in the USA.

Amateur Radio in the Wilderness

owners carry the radio inside the backpack unless they choose to operate it hand-held style while in motion. Since the KX2 has a quality built-in microphone, carrying the external microphone is not necessary for voice operation, saving backpack *bulk* and *mass*.

Most Amateur Radio operation is done for fun — hams chat with other hams whom they may never have seen in person. In an emergency, nothing is better than *shortwave* ham radio for getting a specific message out with information which is useful to first responders.

Minimizing Antenna Mass

An optional built-in **antenna tuner** for the KX2, called the **KXAT2**, with a *mass* of only 152 g (5.4 oz), makes it practical to use simple wire antennas with the KX2 on all *shortwave* bands, considerably decreasing backpacking *mass* which multiple antennas would require if separate resonant antennas were employed for each of the nine *shortwave* ham bands without a tuner. With a *wavelength* almost as long as an American football field, the biggest disadvantage of the 80 m band is that the most effective operation without an antenna tuner requires a fairly lengthy antenna, almost 40 m or a half-wavelength long. If very thin-gauge but strong copper-covered insulated steel wire is used,³⁴ even a lengthy antenna is light enough for ultralight backpackers to carry. However, if an antenna tuner is employed, a shorter non-resonant antenna can be deployed.

With the addition of a simple BNC-to-dual-post adapter, a 58-foot (17.7 m) wire lobbed over a high tree branch, plus a shorter counterpoise 13.1-foot (3.99 m) wire placed on the ground, the KX2 equipped with the internal antenna tuner will transmit or receive efficiently across the entire *shortwave* Amateur Radio spectrum from the lower end of the 80 m band to the top end of the 10 m band. For transmitting on the 80 m or 60 m bands where the antenna cannot be launched high above the ground, either a longer radiator wire (say, 74 feet [22.55 m] with a 17 ft [5.18 m] counterpoise) or a half-wavelength dipole antenna works better. With its 12 W output, the KX2 is capable of intercontinental communications using that rudimentary antenna system.

The antenna should be tied to a non-conductive cord so that it can be fastened to a rock or fishing weight to be lobbed over a tree branch David-sling style. A good knot to tie around a fist-sized rock is the scaffold knot.³⁵

³⁴ <https://thewireman.com/antennap.html>

³⁵ <https://www.youtube.com/watch?v=QP18jjSDc3I>

Amateur Radio in the Wilderness



Scaffold Knot

The cord should be relatively long to minimize interaction of the antenna with the supporting tree, which can induce losses in the antenna. Thicker trees and denser forests produce greater losses.³⁶

KX2 Bottom Line

The basic 296 g (10.44 oz) KX2 can be purchased for \$749.95 plus shipping. A removable KXBT2 battery pack costs \$59.95 (plus \$24.95 for an external KXBC2 charger) for an additional 152 g (5.4 oz). Most KX2 owners will pay another \$179.95 for the optional 152 g (5.4 oz) KXAT2 internal antenna tuner. Some also may want to buy another module, the 4 g (0.14 oz) KXIO2 real-time clock module for \$69.95, which includes a circuit for controlling two external electronic devices. A 146 g (5.15 oz) MH3 external microphone with *frequency* up and *frequency* down buttons costs \$59.95. The 28 g (0.98 oz) KXPD2 keyer paddle costs \$109.95.³⁷

The KX2 allows mountaineers or long-trail thru-hikers or cross-country cyclists or sailors to communicate from remote places anywhere on earth or at sea to other distant places via ham radio. The only condition is that the operator must be qualified as a licensed radio amateur. At just over one pound with all internal options, the KX2 will fit into any ultralight backpacker's weight budget. The KX2 was not available in 2005, but had John Donovan been carrying a *shortwave* radio, he almost certainly would have been rescued from that deep California canyon with help from the ionosphere.³⁸

No Morse code Option

By itself, the KX2 requires skill in the Morse code for operators to use CW or the PSK31, PSK63 and RTTY text modes. Now there is an opportunity for licensed hams in remote locations to use those modes without any knowledge of Morse code. The

³⁶ See Kai Siwiak KE4PT and Richard Quick W4RQ, "Live Trees Affect Antenna Performance," *QST* February 2018, pp. 33-37.

³⁷ Prices exclude shipping charges and sales tax for California residents.

³⁸ The only lightweight Amateur Radio *shortwave* transceivers on the market then were frequency limited, and mostly CW only.

Amateur Radio in the Wilderness

QRPworks³⁹ company manufactures a 40-character 140 g (4.9 oz) accessory unit for the KX2 transceiver called the *SideKar™* and a larger 80-character 255 g (9 oz) *SideKar Plus™* which allow transmission and reception of those modes without a Morse code paddle.



SideKar Plus™ mounted on a KX2 transceiver

The *SideKar™* is sold with either of two different keyboards for \$289 plus shipping. The *SideKar Plus™* with either keyboard costs \$309 plus shipping.



SideKar™ with Slim Wireless Keyboard

(images courtesy of QRPworks.com)

The Compact Wireless Keyboard is 71 g (2.5 oz), whereas the Slim Wireless Keyboard is 213 g (7.5 oz) and takes up more room in a backpack. Some operators may choose to buy both keyboards so that they can use the larger one at home and the

³⁹ <https://www.qrpworks.com/sidekar--sidekar-plus.html>

Amateur Radio in the Wilderness

smaller one in the wilderness. The **SideKar™** and the **SideKar Plus™** also do automatic contact record keeping and have room for 20 @ 80-character text or macro memories. That's a lot of computing power in such a tiny box.

A more economical kit product called the **KX-QRP 2nd LOOK⁴⁰** displays 80-characters in two lines.

Technician-Class Licensees on *Shortwave*

It's much better to study a bit more and earn a General Class Amateur Radio license. However, Technician hams in the USA have some access to *shortwave* radio. With the KX2 plus the **SideKar™** or the **SideKar Plus™**, Technician hams can operate CW on some *shortwave* frequencies without knowing Morse code. They are allowed CW-only *shortwave* transmitting on three bands: 80 m, 40 m and 15 m, plus CW, text, and SSB voice on the 10 m band. The American Radio Relay League has proposed expanded text and voice spectrum for Technician-class hams on the 80 m, 40 m and 15 m bands. We are awaiting a response from the Federal Communications Commission.

⁴⁰ <http://www.k8zt.com/2ndlook>